



Xtenso 3 on Unimog



UnimogPartner

Product information:

Xtenso3 by KLUBB, is an 18.5 m telescopic platform with lateral outreach of 13.90 m, designed to be mounted on a heavy truck from 14 T using the chassis or workshop model. With articulated telescopic jibs this model is capable of overcoming all types of obstacle (tree branches, roofs, balconies, electric cables, etc.) and gets you as close as possible to your work zone. Operators can then work comfortably and in complete safety while keeping excellent flexibility of movement thanks to the articulated jib with its 180° pivoting range. Infrastructure professionals often work with heavy loads in the basket due to the need to lift tools and materials to high work zones. The Xtenso 3 by KLUBB is designed for outstanding lateral outreach of up to 13.90m with a constant capacity of up to 280 kg, including during use of the telescopic function of the articulated jib.

Product advantages

Articulated telescopic jib

Lateral outreach with constant 280 kg basket capacity

Proportional controls for all movements

Basic information

Model variants

43743712

Vehicle model

U5023

Wheelbase

3.850 mm

Body mounting duration

7 - 8 Weeks

Unladen body weight

1805kg

Euro standard

M5M: Engine version Euro VI,
with OBD-C

Minimum vehicle specification

C7K: Battery carrier, batteries stacked
CD5: Mounting parts for superstructures
E17: PSM, body and trailer CAN, ISO 11898 (5V)
E87: Implement plug-in 32poles
G50: Transmission oil cooler
L2I: Side marker lights
M1K: Engine OM934, inline 4, 5.1 l, 170kW(231hp), 900 Nm
M5V: High Performance Engine Brake
M5Z: Engine version, Euro VI
N16: Hi-speed PTO from transmission w.4-hole connection
TS5: Weight variant 14.1 t (6.3/8.8)
Z01: Left hand drive

Recommended specification

A30: Central tyre inflation system (CTIS)
A31: Rim parts for central tyre inflation system
E1B: Batteries 2 x 12V / 170 Ah, maintenance
E33: Manual battery isolater switch at battery box
E44: Jump start socket
FT6: Mirror version for wider vehicle
G22: Rear-mounted gearbox with off-road gear range
G48: Automatic shift (EAS)
K7A: Exhaust system, tailpipe vertical
L32: Protective grille, metal, for indicators
L4Z: Protective grille, metal, for headlamps
L60: Entrance lights at steps to cab
LH6: Protective grille, metal, for rear lights
LB4: Flashing lamps, LED, yellow, left & right, w. stands



Xtenso3 on Unimog - 18,5m working height



Xtenso3 on Unimog - 18,5m working height



Xtenso 3 mounted on Unimog



Aerial platform Xtenso 3 on UHM



Contact persons.

KLUBB FRANCE SAS
Ms. Sabine DORGAN
12 Avenue James de Rothschild
FR-77164 FERRIERES-EN-BRIE

Telephone 1: +33 643208495
Email: sdorgan@klubb.com
Website: <http://www.klubb-france.fr>

KLUBB FRANCE SAS is UnimogPartner. The status was issued following a positive appraisal of the company based on the criteria of quality, service, engineering and sales/marketing.

Information relating to the body is provided solely by the bodybuilder, and is placed on the site by the bodybuilder. Daimler Truck AG has not verified the information provided by the bodybuilder for correctness or completeness, and neither accepts any liability nor provides any form of warranty for this information.